

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM

# LISTING SERVICE

**LISTING No.** 3295-1454:101 Page 1 of 1

**CATEGORY:** Fire-Rated Doors

**LISTEE:** American Door Manufacturing, 1488 Tillie Lewis Dr., Stockton, CA 95206  
Contact: Randy Neto (209) 941-8852

**DESIGN:** Single, swinging type egress 20-Minute door.

Core: 1-1/2" steam-thru particle board, 29 pcf minimum.

Top Rail and Stiles: 1-1/4" wide x 1-1/2" thick finger joint wood, 0.32 S.G minimum.

Bottom Rail: 2-5/8" wide x 1-1/2" thick finger jointed wood, 0.32 S.G minimum.

Faces: Molded hardboard ANSI/AHA A135.4, Class I, tempered, 55 p.c.f. density, 0.125" thick.

Fastening: Stiles and rails bonded to door face, door face bonded to core using National Starch & chemical 42-4006 adhesive or National Casein 8580, 4420, 230, Borden Chemical S-97, 770, or Franklin International Multibond W or approved adhesive.

Press Conditions: Per adhesive manufacturer's instructions.

Maximum size not to exceed 3' wide x 6'8" high.

**RATING:** 20 Minutes for smoke and draft control assembly.

**INSTALLATION:** In accordance with listee's printed installation instructions, ANSI/NFPA 80, applicable codes & ordinances and in a manner acceptable to the authority having jurisdiction.

**MARKING:** Listee's name, model number, rating/classification, CSFM and EEL labels.

**APPROVAL:** Listed as 20 minutes smoke- and draft-control door assembly when installed in a listed frame approved for the type of wall construction. A gasket must be installed to provide a seal where the door meets the stop on both sides and across the top.

05-23-96



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other suitable information sources.

Date Issued: **JUNE 18, 2003**

*Listing Expires **June 30, 2004***

Authorized By: **DIANE K. AREND, Senior Deputy**  
**Program Manager**